


Clallam County Population =68,400 (23% under age 18)

Adult Tobacco Use


Current Cigarette Smoking (1987-1998)



Current Smokeless Tobacco Use (1993-1997)

	<i>Entire adult population</i>	<i>Males only</i>
Clallam County	2.8% (95%CI:1.0,7.7)	6.0% (95%CI:2.2,16.2)
Washington State	2.9% (95%CI:2.5,3.8)	5.7% (95%CI:5.0,6.5)

Youth Tobacco Use (1998)




Summary of the problem

- ☐ Adult cigarette use appears to have more rapidly declined in Clallam County than in the state as a whole, but the overall use is not significantly different from the state; smokeless tobacco use among adults is very similar to the state rate.
- ☐ Youth cigarette use in the Southwest Region is elevated above the state rate among younger age groups, but not among 12th graders; youth smokeless tobacco use is elevated for all age groups. More data collection is needed to describe Clallam County youth specifically.
- ☐ Maternal smoking during pregnancy is consistently and significantly elevated above the state rate, and does not show the declining trend shown in the state and other regions. Clallam County is among the highest-risk counties in Washington for maternal smoking during pregnancy.
- ☐ Retailer compliance appears to be somewhat worse than the state as a whole, but the difference is not significant.

Estimated number of current adult and youth smokers who will die prematurely as a result of tobacco use: 4,500


Smoking During Pregnancy (1987-1998)



Infants born annually to mothers who smoke during pregnancy: 193

Minors Access to Tobacco (1998-1999)

Percent Sales to Minors



Number of tobacco retailers in county: 110

Health at Risk (Estimated numbers for county)

Adults who currently smoke	12,500
Adults who currently use smokeless tobacco	1,500
Youth who currently smoke	1,200
Youth who currently use smokeless tobacco	500
ESTIMATED ANNUAL DEATHS DUE TO TOBACCO USE	150

Current Tobacco Prevention and Control Program Activities

Highlights during 1999

- ✓ Brought together enforcement, education, and other community members to improve enforcement/processing of minor tobacco possession laws, including referral to youth cessation programs by courts.
- ✓ Local youth activities: trained as peer educators, participated in state Youth Summit, participating in statewide youth advocacy movement.
- ✓ Local coalition re-established with diverse membership of 95 individuals.

Annual Funding for Program (12-month funding amounts, FY 1999)

Source	Amount
Youth Access (Retailer License Fees)	\$ 9,982
CDC Grant	\$ 0
Total Per Capita Funding	\$.15

Agency receiving funding

Clallam County Health & Human Services


CDC Recommended Community Per Capita Funding: \$.70-2.00

Local Contacts

Helen Glad-Spector
Clallam County Health & Human
Services
P.O. Box 863
Port Angeles, WA 98362-0149
(360) 417-2352
fax: (360) 417-2519
email: hgladspector@co.clallam.wa.us

website:

www.wa.gov/clallam



TECHNICAL NOTES: (ADDITIONAL DOCUMENTATION IN APPENDIX B)

TOTAL DEATHS DUE TO TOBACCO USE ARE ESTIMATED AS 19% OF ALL DEATHS (MCGINNIS AND FOEGE 1993); "DUMBBELL" BARS AROUND DATA POINTS FOR SURVEY DATA REPRESENT 95% CONFIDENCE INTERVALS – THE TRUE VALUE MAY BE ANYWHERE WITHIN THE BARS, BUT MAY NOT BE EXACTLY AT THE DATA POINT; NUMBER OF ADULTS/YOUTH WHO WILL DIE PREMATURELY FROM TOBACCO USE IS ESTIMATED AS 33% OF CURRENT ADULT SMOKERS (MMWR 1996), AND 21% OF CURRENT YOUTH SMOKERS –WHO MAY 'GROW OUT OF' SMOKING BEHAVIOR (USDHHS 1994); "CURRENT ADULT/YOUTH TOBACCO USERS" ARE SYNTHETIC ESTIMATES BASED ON STATEWIDE AGE-SPECIFIC PREVALENCE; FUNDING LEVELS FOR COUNTIES WERE CALCULATED BASED ON DEDICATED YOUTH TOBACCO PREVENTION FUNDS AND CDC FUNDS MANAGED BY THE DEPARTMENT OF HEALTH – COUNTIES MAY SUCCESSFULLY SEEK ADDITIONAL FUNDING FOR TOBACCO CONTROL FROM OTHER SOURCES; "HIGHLIGHTS DURING 1999" WERE IDENTIFIED BY LOCAL PROGRAM STAFF; "CDC RECOMMENDED FUNDING" IS BASED ON *BEST PRACTICES FOR TOBACCO CONTROL PROGRAMS* (CDC 1999).

